



#### Dishwashing

#### Performance

The system technology delivers

1500 + Rack Washes per bottle without the requirement of a water feed, benefiting the environment.



floloc

#### Excellence

floloc® low detergent to water ratio and machine self- cleaning technology ensures that surfactant or stain residue is prevented from forming, leading to outstanding dishwashing results.

#### Innovation

Intertegrated dispensing wall system with Irremovable container closure innovation, replaces the use of 10L / 20L drums or solid / powdered formats,

# Incorporating





Irremovable Dispensing Closure

www.sanserv.com www.apertureclosures.com

#### **Prevents:**

- Misuse
- Pilferage
- Contamination
- Waste



Reduces Packaging Consumption



The unique one-way valve and pre-use transportation seal safeguards chemical contents within the container, ensuring controlled use as well reducing the packaging usuage associated with open bottles and containers.

# Advancement

Utilizing Optix® and the Aperture® Irremovable Closure for secure and controlled integration, allows the formation of FLOLOC® dishwashing system, a compact packaging format <u>without the requirement of a water feed.</u>









# Discovery

Current Solid / Powdered technology is adopted to increase the strength of concentrate for performance while reducing the packaging size to a contained form (approx. 3-6kg) for improved consumption and safe handling, preferable to that of a 20L drum dilution.

Unfortunately, specialized dispensing technology is required to dissolve these solid or powdered formats using water pressure so to obtain the appropriate dilution relative to the dishwashing task in hand.

Various components are required for a workable solution using this method, creating unnecessary problems and complexity:

- Expensive / Complex Equipment
- External Water Connection
- Additional Components
- Solenoid Valve / Conductivity Sensor
- Inaccurate Dosing
- Level Indication Alarms / Lights
- Storage / Un-reliability Issues
- Intrusive Installation

# SURESAVE® OPTIX solves this problem.





# **Closed Secure System**

The SureSave® Optix closed arrangement secures and controls its formulation with unrivalled simplicity.

The uniquely calibrated VSCOS low-flow dispensing mechanism, insures accurate dosing at all times, without the need for a water feed, delivering in excess of **1500 plus** Rack Washes per 3.30l container while further benefiting the environment



## Level Indication

The container display system provides simple user management control with low level indication as to when a new container needs to be replaced.

#### Dishwashing Consumables

SureSave®Optix VSCOS Dish Premium (Green Label)

SureSave® Optix VSCOS Rinse (Blue Label)

SureSave® Optix VSCOS Pot Plus (Pink Label)

Delivering in excess of **1500 plus** Rack Washes per 3.30l container

floloa

HANDLING GUIDELINES

OPTIN



100

flolo

00







# floloa

DISHWASHING SOLUTIONS

HANDLING GUIDELINES SPECIFICATION INFORMATION